

Please type a plus sign (+) inside this box → ☐

PTO/SB/05 (12/97) (modified)
Approved for use through 09/30/00 OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

**UTILITY
PATENT APPLICATION
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 220952029300

Total Pages 19

First Named Inventor or Application Identifier

NULL IGF FOR THE TREATMENT OF CANCER
BY: Desmond Mascarenhas

Express Mail Label No. EL053906220US

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

Express Mail Label No.: EL053906220US

Date of Deposit: September 20, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Gary Palazzo

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO:

Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

1. ☒ Fee Transmittal Form
(Submit an original, and a duplicate for fee processing)
2. ☒ Specification [Total Pages 15]
(preferred arrangement set forth below)
 - Descriptive title of the Invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
3. ☒ Drawing(s) (35 USC 113) [Total Sheets 2]
4. ☐ Oath or Declaration [Total Pages]
 - a. ☐ Newly executed (original or copy)
 - b. ☐ Copy from a prior application (37 CFR 1.63(d)
(for continuation/divisional with Box 17 completed)
[Note Box 5 below]
 - i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in
the prior application, see 37 CFR 1.63(d)(2) and 1.33(b)
5. ☒ Incorporation By Reference (useable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy of the
oath or declaration is supplied under Box 4b, is considered as being
part of the disclosure of the accompanying application and is hereby
incorporated by reference therein.

6. ☐ Microfiche Computer Program (Appendix)
7. Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
 - a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy (identical to computer copy)
 - c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

8. ☐ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney
(when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
14. ☐ Small Entity Statement(s) ☐ Statement filed in prior application,
Status still proper and desired
15. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
16. ☐

17. If a CONTINUING APPLICATION

This application claims priority under 35 USC § 119(e) to Provisional Application No. 60/102,747, FILED October 2, 1998, which is incorporated by reference in its entirety.

18. CORRESPONDENCE ADDRESS

Nicholas S. Buffinger
Registration No. 39,124

Morrison & Foerster LLP
755 Page Mill Road
Palo Alto, California 94304-1018
Telephone: (650) 813-5816
Facsimile: (650) 494-0792

- ☒ If a paper is untimely filed in the above-referenced application by applicant or his/her representative, the Assistant Commissioner is hereby petitioned under 37 C.F.R. § 1.136(a) for the minimum extension of time required to make said paper timely. In the event a petition for extension of time is made under the provisions of this paragraph, the Assistant Commissioner is hereby requested to charge any fee required under 37 C.F.R. § 1.17(a)-(d) to **Deposit Account No. 03-1952**. However, the Assistant Commissioner is **NOT** authorized to charge the cost of the issue fee to the Deposit Account.

The filing fee has been calculated as follows:

FOR	NUMBER FILED	NUMBER EXTRA	RATE	CALCULATIONS
TOTAL CLAIMS	17 - 20 =	0	x \$18.00	\$0
INDEPENDENT CLAIMS	2 - 3 =	0	x \$78.00	\$0
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$260.00	\$0
			BASIC FEE	\$760.00
TOTAL OF ABOVE CALCULATIONS =				\$760.00
Reduction by 1/2 for filing by small entity (Note 37 C.F.R. §§ 1.9, 1.27, 1.28). If applicable, verified statement must be attached.				\$0
			TOTAL =	\$760.00

Applicant(s) hereby petitions for any required relief including extensions of time and authorizes the Assistant Commissioner to charge the cost of such petitions and/or other fees or to credit any overpayment to **Deposit Account No. 03-1952** referencing docket no. 220952029300.

Dated: September 20, 1999

Respectfully submitted,

By: 

Nicholas S. Buffinger
Registration No. 39,124

Morrison & Foerster LLP
755 Page Mill Road
Palo Alto, California 94304-1018
Telephone: (650) 813-5816
Facsimile: (650) 494-0792

NULL IGF FOR THE TREATMENT OF CANCER

TECHNICAL FIELD

The invention relates to the field of treatment of cancer, and particularly to the use of null IGF for the treatment of cancer.

5

BACKGROUND ART

Growth factors are polypeptides which stimulate a wide variety of biological responses (*e.g.* DNA synthesis, cell division, expression of specific genes, etc.) in a defined population of target cells. A variety of growth factors have been identified, including the transforming growth factor beta family (TGF- β s), epidermal growth factor and transforming growth factor alpha (the TGF- α s), the platelet-derived growth factors (PDGFs), the fibroblast growth factor family (FGFs) and the insulin-like growth factor family (IGFs), which includes IGF-I and IGF-II. Many growth factors have been implicated in the pathogenesis of cancer.

10

15

IGF-I and IGF-II (the "IGFs") are related in amino acid sequence and structure, with each polypeptide having a molecular weight of approximately 7.5 kilodaltons (kDa). IGF-I mediates the major effects of growth hormone, and is thus the primary mediator of growth after birth. IGF-I has also been implicated in the actions of various other growth factors, since the treatment of cells with such growth factors leads to increased production of IGF-I. In contrast, IGF-II is believed to have a major role in fetal growth. Both IGF-I and IGF-II have insulin-like activities (hence their names), and are mitogenic (stimulate cell division).

20

25

IGF-I has been found to stimulate the growth of cells from a number of different types of cancer (Butler et al., 1998 *Cancer Res.* **58**(14):3021-3027; Favoni RE, et al., 1998, *Br. J. Cancer* **77**(12): 2138-2147). Additionally, IGF-I has additionally been found to exert anti-apoptotic effects on a number of different cell types, including tumor cells (Giuliano M, et al., 1998 *Invest Ophthalmol. Vis. Sci.* **39**(8): 1300-1311; Zawada WM, et al., 1998, *Brain Res.* **786**(1-2): 96-103; Kelley KW, et al., 1998, *Ann. N. Y. Acad. Sci.* **840**: 518-524; Toms SA, et al., 1998, *J. Neurosurg.* **88**(5): 884-889; Xu F, et al., 1997, *Br. J.*

30

Haematol. **97**(2): 429-440). U.S. Patent No. 5,681,818 claims the administration of IGFBP-3 for the treatment of cancer.

A number of variant forms of IGF-I have been created which have altered binding characteristics for the IGF receptors, the insulin receptor, or IGFBP's (Cascieri *et al.* (1988) *Biochemistry* 27:3229–3233 and (1989) *J. Biol. Chem.* **264**:2199–2202; Bayne *et al.* (1990) *J. Biol. Chem.* **265**:15648–15652); Baxter *et al.* (1992) *J. Biol. Chem.* **267**:60–65). Additionally, International Patent Application No. WO 97/39032 discloses the use of certain variant forms of IGF-I for the treatment of conditions where increased IGF-I activity is desired, such as diabetes, osteoporosis, and the like. The variant forms of IGF-I are proposed to displace IGF-I from IGFBP, resulting in increased IGF-I activity.

Almost all IGF circulates in a non-covalently associated complex of IGF-I, insulin-like growth factor binding protein 3 (IGFBP-3) and a larger protein subunit termed the acid labile subunit (ALS), such that very little free IGF-I is detectable. The ternary complex is composed of equimolar amounts of each of the three components. ALS has no direct IGF-binding activity and appears to bind only to the IGF/IGFBP-3 complex (Baxter *et al.*, *J. Biol. Chem.* **264**(20):11843-11848, 1989), although some reports suggest that IGFBP-3 can bind to rat ALS in the absence of IGF (Lee *et al.*, *Endocrinology* **136**:4982-4989, 1995). The ternary complex of IGF/IGFBP-3/ALS has a molecular weight of approximately 150 kDa and has a substantially increased half-life in circulation when compared to binary IGF/IGFBP-3 complex or IGF alone (Adams *et al.*, *Prog. Growth Factor Res.* **6**(2-4):347-356; presented October 1995, published 1996). This ternary complex is thought to act “as a reservoir and a buffer for IGF-I and IGF-II preventing rapid changes in the concentration of free IGF” (Blum *et al.* (1991), “Plasma IGFBP-3 Levels as Clinical Indicators” in MODERN CONCEPTS OF INSULIN-LIKE GROWTH FACTORS, pp. 381-393, E.M. Spencer, ed., Elsevier, New York). While there is essentially no excess (unbound) IGFBP-3 in circulation, a substantial excess of free ALS does exist (Baxter, *J. Clin. Endocrinol. Metab.* **67**:265-272, 1988).

It should be noted that, while IGFBP-3 is the most abundant of the IGF binding proteins ("IGFBPs"), at least five other distinct IGFBPs have been identified in various tissues and body fluids. Although these proteins bind IGFs, they originate from separate genes and have distinct amino acid sequences.

5 Unlike IGFBP-3, other circulating IGFBPs are not saturated with IGFs. IGFBP-3 and IGFBP-5 are the only known IGFBPs which can form the 150 kDa ternary complex with IGF and ALS. The IGF and ALS binding domains of IGFBP-3 are thought to be in the N-terminal portion of the protein, as N-terminal fragments of the protein isolated from serum retain these binding activities. However, some of

10 the other IGFBPs have also been suggested for use in combination with IGF-I as therapeutics.

In addition to its role as the major carrier protein for IGF in serum, IGFBP-3 has been recently shown to have a number of different activities. IGFBP-3 can bind to an as-yet unidentified molecule on the cell surface, where it

15 can inhibit the activity of exogenously-added IGF-I (Karas et al., 1997, *J. Biol. Chem.* **272**(26):16514-16520). Although the binding of IGFBP-3 to cell surfaces can be inhibited by heparin, the unidentified cell surface binding molecule is unlikely to be a heparin-like cell surface glycosaminoglycan, because enzymatic removal of heparin glycosaminoglycans has no effect on IGFBP-3 cell surface

20 binding (Yang et al., 1996, *Endocrinology* **137**(10):4363-4371). It is not clear if the cell surface binding molecule is the same or different than the IGFBP-3 receptor that was identified by Leal et al. (1997, *J. Biol. Chem.* **272**(33):20572-20576), which is identical to the type V transforming growth factor-beta (TGF- β) receptor.

IGFBP-3 has also been found to promote apoptosis. Interestingly, IGFBP-3 has been shown to promote apoptosis in cells with and without functional type 1 IGF receptors (Nickerson et al., 1997, *Biochem. Biophys. Res. Comm.* **237**(3):690-693; Rajah et al., 1997, *J. Biol. Chem.* **272**(18):12181-12188). However, there are conflicting reports as to whether apoptosis is induced by full length IGFBP-3 or a

25 proteolytic fragment of IGFBP-3 (Rajah et al., *ibid*; Zadeh et al., 1997, *Endocrinology* **138**(7):3069-3072).

30

IGF-I and IGFBP-3 may be purified from natural sources or produced by recombinant means. For instance, purification of IGF-I from human serum is well known in the art (Rinderknecht *et al.* (1976) *Proc. Natl. Acad. Sci. USA* 73:2365-2369). Production of IGF-I by recombinant processes is shown in EP 0 128 733, published in December of 1984. IGFBP-3 may be purified from natural sources using a process such as that shown in Baxter *et al.* (1986, *Biochem. Biophys. Res. Comm.* 139:1256-1261). Alternatively, IGFBP-3 may be synthesized by recombinantly as discussed in Sommer *et al.*, pp. 715-728, MODERN CONCEPTS OF INSULIN-LIKE GROWTH FACTORS (E.M. Spencer, ed., Elsevier, New York, 1991). Recombinant IGFBP-3 binds IGF-I in a 1:1 molar ratio.

Topical administration of IGF-I/IGFBP-3 complex to rat and pig wounds is significantly more effective than administration of IGF-I alone (*Id.*). Subcutaneous administration of IGF-I/IGFBP-3 complex to hypophysectomized, ovariectomized, and normal rats, as well as intravenous administration to cynomolgus monkeys, "substantially prevents the hypoglycemic effects" of IGF-I administered alone (*Id.*).

The use of IGF/IGFBP-3 complex has been suggested for the treatment of a wide variety of disorders (see, for example, U.S. Patents Nos. 5,187,151, 5,527,776, 5,407,913, 5,643,867, 5,681,818 and 5,723,441, as well as International Patent Applications Nos. WO 95/03817, WO 95/13823, and WO 96/02565. IGF-I/IGFBP-3 complex is also under development by Celtrix Pharmaceuticals, Inc., as a treatment for several indications, including recovery from burns and recovery from hip fracture surgery.

While there are a large number of cytotoxic drugs available for the treatment cancer, these drugs are generally associated with a variety of serious side effects, including alopecia, leukopenia, mucositis. Accordingly, there is a need in the art for cancer therapies that do not induce the serious side effects associated with conventional cytotoxic chemotherapy.

DISCLOSURE OF THE INVENTION

The inventor has surprisingly found that null IGF-I, administered in the absence of IGFBP-3, is effective in alleviating the symptoms of cancer, whereas null IGF-I administered as a complex with IGFBP-3 is ineffective. This finding was unexpected because IGFBP-3 is known to substantially increase the half-life of IGF-I and to increase the efficacy of IGF-I (Sommer *et al.*, *supra*), so it was expected that null IGF-I/IGFBP-3 complex would be more efficacious in alleviating the symptoms of cancer than null IGF-I administered in the absence of IGFBP-3.

Disclosed herein are methods for alleviating the symptoms of cancer. In one embodiment, an effective amount of null IGF is administered to a subject having cancer, thereby alleviating the symptoms of the cancer.

In another embodiment, a thyroid axis antagonist is administered with the null IGF-I to the subject having cancer.

Definitions

As used herein, the term "null IGF-I" refers to IGF-I which has amino acid sequence alterations at one or more sites in the molecule. Null IGF-I retains its ability to bind IGFBP-3, but is altered in its receptor binding and/or activating properties (e.g., having little or no binding to the type 1 IGF receptor while maintaining its binding activities for the type 2 IGF receptor and the insulin receptor). A preferred null IGF-I has substantially reduced binding to both types of the IGF receptor and the insulin receptor. Descriptions of null IGF-I's may be found in Cascieri *et al.* (1988) *Biochemistry* 27:3229–3233; (1989) *J. Biol. Chem.* 264:2199–2202, Bayne *et al.* (1990) *J. Biol. Chem.* 265:15648–15652) and Baxter *et al.* (1992) *J. Biol. Chem.* 267:60–65). Examples of null IGF-I include variants in which one or more of IGF-I's tyrosine residues (*i.e.*, residues 24, 31, or 60) are replaced with non-aromatic residues (*i.e.*, other than tyrosine, phenylalanine or tryptophan), variants where amino acid residues 49, 50, 51, 53, 55 and 56 are altered (for example, where residues 49–50 are altered to Thr-Ser-Ile or where residues 55–56 are altered to Tyr-Gln), and combinations thereof.

The term "thyroid axis antagonist" refers to a compound which acts to decrease thyroid hormone activity in a subject. Thyroid axis antagonists include 6-n-propyl-2-thiouracil (propylthiouracil or PTU), methimazole, carbimazole, and other compounds known to the art to reduce thyrotropic hormones, thyroid hormones, or thyroid receptor signaling.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows the amino acid sequence of native human IGF-I in single-letter amino acid code.

FIG. 2 depicts the results of the experiment described in Example 2. The percentage of surviving animals (y-axis) is plotted against time after xenograft implantation (x-axis). The data for null₆₀ IGF-I, null₆₀ complex and control treated groups are represented by open circles, open diamonds and open squares, respectively.

BEST MODE FOR CARRYING OUT THE INVENTION

Disclosed herein are new methods for the treatment of cancer. An effective amount of null IGF-I is administered to a subject suffering from cancer, thereby alleviating the symptoms of the cancer. Null IGF-I slows the growth rate of cancer, thereby alleviating the symptoms of, or slowing the progression of the cancer. While not wishing to be bound by any particular theory, the inventor believes that the administration of null IGF-I displaces native IGF-I from complexes with binding proteins, particularly binding proteins other than IGFBP-3 (*e.g.*, IGFBP-2), resulting in reduced IGF-I activity, which reduces growth of the tumor and renders the tumor cells more responsive to apoptotic signals.

The inventors have surprisingly found that administration of null IGF-I is substantially more effective at slowing tumor growth than the administration of null IGF-I as a complex with IGFBP-3. This was surprising because it is well known that uncomplexed IGF-I has a significantly shorter half-life than IGF-I administered as a complex with IGFBP-3 and that IGF-I administered as a complex with IGFBP-3 is more effective than uncomplexed IGF-I.

Null IGF-I may be used to treat any cancer, preferably carcinomas such as breast, prostate, cancer and lung cancers.

Null IGF-I for use in accordance with the instant inventive methods may be derived from any species, although species-matched null IGF-I (*i.e.*, null IGF-I based on the native sequence from the same species as the subject to which the IGF-I is to be administered) is preferred. Null IGF-I for use in the instant invention is uncomplexed null IGF-I, that is, administered in the absence of IGFBP-3 (*i.e.*, is not administered as null IGF-I/IGFBP-3 complex), and is preferably administered in the absence of any IGF binding protein.

The null IGF-I is normally produced by recombinant methods, which allow the production of all possible variants in IGF-I sequence. Techniques for the manipulation of recombinant DNA are well known in the art, as are techniques for recombinant production of proteins (see, for example, in Sambrook et al., MOLECULAR CLONING: A LABORATORY MANUAL, Vols. 1-3 (Cold Spring Harbor Laboratory Press, 2 ed., (1989); or F. Ausubel et al., CURRENT PROTOCOLS IN MOLECULAR BIOLOGY (Green Publishing and Wiley-Interscience: New York, 1987) and periodic updates).

Preferably, the null IGF-I is produced using a bacterial cell strain as the recombinant host cell. An expression construct (*i.e.*, a DNA sequence comprising a sequence encoding the desired null IGF-I operably linked to the necessary DNA sequences for proper expression in the host cell, such as a promoter and/or enhancer elements at the 5' end of the construct and terminator elements in the 3' end of the construct) is introduced into the host cell. The DNA sequence encoding the null IGF may optionally linked to a sequence coding another protein (a "fusion partner"), to form a fusion protein. Preferably, the DNA sequence encoding the null IGF-I is linked to a sequence encoding a fusion partner as described in International Patent Application No. WO 94/04076. The expression construct may be an extrachromosomal construct, such as a plasmid or cosmid, or it may be integrated into the chromosome of the host cell, for example as described in International Patent Application No. WO 96/40722.

Null IGF-I is preferably administered by parenteral administration, including but not limited to intravenous (IV), intraperitoneal (IP), intramuscular (IM), subcutaneous (SC), intradermal (ID), transdermal, inhaled, and intranasal routes. IV, IP, IM, and ID administration may be by bolus or infusion
 5 administration. For SC administration, administration may be by bolus, infusion, or by implantable device, such as an implantable minipump (*e.g.*, osmotic or mechanical minipump) or slow release implant. The null IGF-I may also be delivered in a slow release formulation adapted for IV, IP, IM, ID or SC administration. Inhaled null IGF-I is preferably delivered in discrete doses (*e.g.*,
 10 via a metered dose inhaler adapted for protein delivery). Administration of null IGF-I via the transdermal route may be continuous or pulsatile.

For parenteral administration, compositions of null IGF-I may be in dry powder, semi-solid or liquid formulations. For parenteral administration by routes other than inhalation, the null IGF-I is preferably administered in a liquid
 15 formulation. Null IGF-I formulations may contain additional components such as salts, buffers, bulking agents, osmolytes, antioxidants, detergents, surfactants, and other pharmaceutical excipients as are known in the art.

Null IGF-I is administered to subjects having cancer at a dose of about 0.01 to about 50 mg/kg/day, more preferably about 0.1 to about 20 mg/kg/day,
 20 more preferably 0.5 to about 15 mg/kg/day, even more preferably about 1 to about 10 mg/kg/day.

In certain embodiments, the null IGF-I is administered to the subject with a thyroid axis antagonist. The administration of the two compounds may be simultaneous, overlapping, or separated in time, as long as the subject experiences
 25 exposure to both compounds at the same time. Where the two compounds are formulated for the same route and schedule of administration, the administration is preferably simultaneous or nearly simultaneous (*e.g.*, concurrent or serial injections). However, in some embodiments, the routes and schedules of administration for the two compounds will be different, making simultaneous
 30 administration inconvenient. A subject will be considered to have been administered null IGF-I and a thyroid axis antagonist if the subject experiences

simultaneous systemic exposure to both compounds, regardless of when or how the compounds were administered.

In methods requiring the administration of thyroid axis antagonists with the null IGF-I, the dose of the thyroid axis antagonist is normally titrated for the individual subject, as is well known in the art. Induction of frank hypothyroidism is not required, though in some cases it may be found advantageous, for the proper working of this invention. Thyroid axis antagonists are generally administered at an intermediate dose, and the patient observed for the onset of hypothyroidism. Hypothyroidism may be recognized by its well known symptoms, including (in adults) lethargy, constipation, cold intolerance, menorrhagia (in women of reproductive age), reduced intellectual and motor activity, dry hair, dry skin, muscle aches, reduced auditory acuity, and deepening and hoarsening of the voice. In extreme cases, florid myxedema may be present, as indicated by a dull, expressionless face, sparse hair, periorbital puffiness, enlarged tongue and pale, cool skin which feels rough and doughy. The thyroid antagonist dose should be reduced if florid myxedema appears, to avoid the possibility of myxedema coma, a serious and frequently fatal condition. Upon the appearance of the signs of hypothyroidism which fall short of florid myxedema, the dose of the thyroid axis antagonist may be reduced to the point at which the symptoms of hypothyroidism resolve, as will be understood by one of skill in the art.

Thyroid axis antagonists may be produced in any formulation known to the art, including parenteral and oral dosage forms. Oral formulations are preferred, but parenteral formulations are also acceptable, and may be more convenient in an in-patient setting. Formulations for parenteral administration are generally formulated as liquids, but may also be in gel or solid depot form. Formulations for oral administration are generally in tablet or capsule form, although syrups and liquids are also acceptable. Formulations of thyroid axis antagonists generally include excipients, such as salts, buffers, bulking agents, detergents, binding agents, surfactants, stabilizers, preservatives, anti-oxidants, lubricants, coating agents, and other pharmaceutically acceptable excipients as are known in the art.

The dosage of thyroid axis antagonist should be adjusted according to the identity, formulation and route of administration of the thyroid axis antagonist which is administered with the null IGF-I, as is known in the art. Where the thyroid axis antagonist is propylthiouracil, the dose of propylthiouracil may be from 1 to 400 mg/day. A subject is normally initiated with a dose of 50 to 400 mg/day, typically divided into three equal doses, and maintained at 50 to 100 mg/day divided into two or three equal doses. For methimazole and carbimazole, the dose may be from 0.1 to 50 mg/day. Typically, a subject is initiated with 5 to 50 mg/day, and maintained on 1 to 5 mg/day.

The patents, patent applications, and publications cited throughout the disclosure are incorporated herein by reference in their entirety.

EXAMPLES

Example 1: Pharmacokinetics of null IGF-I

The pharmacokinetics of three test articles were assayed: (1) a recombinant human null IGF-I (Y60L IGF-I), in which the normal tyrosine residue at position 60 had been substituted with leucine; variant recombinant human IGFBP-3 (N109D,N172D IGFBP-3), in which the asparagine residues normally at positions 109 and 172 were substituted with aspartate; and Y60L IGF-I/N109D,N172D IGFBP-3 complex at a 1:1 molar ratio. Nine mice, each weighing approximately 20-25 grams were utilized in the study. Mouse were housed in standard mouse cages, one per cage, and fed with water and mouse chow *ad libitum*.

Y60L IGF-I, N109D,N172D IGFBP-3, and Y60L IGF-I/N109D,N172D IGFBP-3 complex were dissolved in 50 mM sodium acetate, pH 5.5, 108 mM NaCl, at 2, 8, and 10 mg/ml, respectively. The animals were randomly divided into three groups of three animals each.

The animals received 100 μ l of the undiluted appropriate test article in a single subcutaneous bolus. Blood samples (approximately 50 μ l each) were collected by eye-bleeds at 0.08, 1, 2, 4, and 8 house after the injection. Serum was isolated from each sample, and assayed for human IGF-I and IGFBP-3, as

appropriate, using commercially-available immunoassay kits obtained from DSL (Webster, TX) according to the manufacturer's instructions. The approximate area under the curve (AUC) was calculated by multiplying concentrations by the time periods between samples for each animal, and mean AUC's (in arbitrary units) were determined for each group. The results are shown in Table I ("nd" indicates that the assay was not performed).

TABLE I

Test Article	Dose (mg/kg)	AUC _{IGF-I}	AUC _{IGFBP-3}
Y60L IGF-I	10	2,597	nd
N109D/N172D IGFBP-3	40	nd	15,480
Y60L IGF-I/N109D,N172D IGFBP-3 complex	50	7,505	37,797

The data clearly indicates that, as expected, administration of null IGF-I as a complex with IGFBP-3 substantially increases systemic exposure to null IGF-I, as indicated by the substantial increase in AUC.

Example 2: Treatment of Prostate Cancer Tumors with Null IGF-I

Y60L IGF-I and Y60L IGF-I/N109D,N172D IGFBP-3 complex were tested for anti-tumor activity in nude mice. 36 mice which had been implanted with PC-3 (human prostate) tumor xenografts were obtained from the Goodwin Cancer Institute (Plantation, FL). Each mouse had received a subcutaneous xenograft of approximately 4-6 mm³ solid PC-3 tumor.

Three different test articles were employed in this experiment: 2 mg/kg/day Y60L IGF-I ("null₆₀ IGF-I") dissolved in 50 mM sodium acetate, pH 5.5, 108 mM sodium chloride ("vehicle"); 10 mg/kg/day Y60L IGF-I/N109D,N172D IGFBP-3 complex ("null₆₀ IGF-I complex") dissolved in vehicle; and vehicle alone ("control"). The test articles were administered near the xenograft site twice each weekday (Monday through Friday) and once per weekend day (Saturday and Sunday) by subcutaneous bolus injection. Test articles were administered from day 15 after implantation ("Day 15") until the animal was sacrificed.

Animals were sacrificed at day 57 after implantation ("Day 57") or earlier if tumor volume exceeded 2000 mm³. Tumor growth was measured three times per week using calipers. Statistical analysis was performed using a two-tailed t test.

5 Any animal that did not show evidence of tumor growth by Day 23 was eliminated from the study. 12 null₆₀ IGF-I, 9 null₆₀ IGF-I complex, and 11 control treated mice remained in the study after Day 23.

10 Results of this experiment are depicted graphically in FIG. 2. Survival of the control and null₆₀ complex animals were very similar (average survival 30.6 days and 31.1 days, respectively, p=0.795). However, mice treated with null₆₀ IGF-I had substantially greater survival, with an average survival of 35.25 days at the end of the study (p=0.067 compared with control). It should be noted that the average survival of the null₆₀ IGF-I treated mice was underestimated by this experiment, as two null₆₀ IGF-I treated mice had tumors of less than 2000 mm³ at the end of the study. Inspection of FIG. 2 also reveals that median survival was
15 substantially increased for mice receiving null₆₀ IGF-I.

20 The present invention has been detailed both by direct description and by example. Equivalents and modifications of the present invention will be apparent to those skilled in the art, and are encompassed within the scope of the invention.

CLAIMS

1. A method for alleviating the symptoms of cancer, comprising:
administering an effective amount of uncomplexed null insulin-like
growth factor I (IGF-I) to a subject having cancer, thereby alleviating the
symptoms of the cancer.
2. The method of claim 1, wherein said cancer is selected from the group
consisting of breast, prostate, colon and lung cancer.
3. The method of claim 2, wherein said cancer is breast cancer.
4. The method of claim 2, wherein said cancer is prostate cancer.
5. The method of claim 2, wherein said cancer is colon cancer.
6. The method of claim 2, wherein said cancer is lung cancer.
7. The method of claim 1, wherein position 60 of said null IGF-I is
altered to a non-aromatic residue.
8. The method of claim 7, wherein position 24 or 31 of said null IGF-I is
additionally altered to a non-aromatic residue.
9. The method of claim 7, wherein said null IGF-I is additionally altered
at a position selected from the group of positions 49, 50, 51, 53, 55 and 56.
10. The method of claim 1, wherein said null IGF-I is administered at
about 0.01 to about 50 milligrams per kilogram total body weight per day
(mg/kg/day).
11. The method of claim 1, wherein said null IGF-I is administered with a
thyroid axis antagonist.
12. The method of claim 11, wherein said thyroid axis antagonist is
selected from the group consisting of propylthiouracil, methimazole and
carbimazole.
13. The method of claim 12, wherein said thyroid axis antagonist is
propylthiouracil.
14. The method of claim 12, wherein said thyroid axis antagonist is
methimazole.
15. The method of claim 12, wherein said thyroid axis antagonist is
carbimazole.

ABSTRACT OF THE DISCLOSURE

New methods for the treatment of cancer are provided. Null IGF (IGF variants with reduced receptor binding) is administered to subjects having cancer, thereby alleviating the symptoms of the cancer.

FIG. 1

1
GPETLCGAEL VDALQFVCGD RGFYFNKPTG YGSSSRRAPO TGIVDECCFR 50
51
SCDLRRLEMY CAPLKPAKSA 70

100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287

FIG. 2

